
1. PRODUCT AND COMPANY IDENTIFICATION

MANUFACTURER: Davis Instrument Corp.
3465 Diablo Avenue,
Hayward, CA 94545
(510)732-9229

PRODUCT PART NO & NAME: #790 FSR Fiberglass Stain Remover (0.47 litres)
#792 FSR Fiberglass Stain Remover (2 litres)

CHEMICAL NAME & SYNONYM: N/A

CHEMICAL FAMILY: Water based cleaner w/viscosity booster

FORMULA: Proprietary

2. HAZARDS IDENTIFICATION

Physical state	Liquid	HMIS:	
Color	Blue	Health :	1
Odor	Odorless	Flammability :	0
		Physical Hazard :	0
		Personal Protection	See SDS section 8

DANGER



Hazard Statement :

Precautionary Statement:

May be harmful if swallowed.

Wash Hand thoroughly after handling, Keep container tightly closed. Store away from flame, heat, Sparks, Open flame, food, drink and smoking material. Wear protective gloves / protective clothing / face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present. Continues rinsing.

=====

3. COMPOSITION / INFORMATION ON INGREDIENTS

=====

DESCRIPTION	CAS#	%	TLV	UNIT
Isopropanol	67-63-0	4.5	400	PPM
Oxalic Acid	144-32-7	4.5	N/A	
Non-toxic ingredients		91		

=====

4. FIRST AID MEASURES

=====

Threshold limit Value: None established.

- Eye contact : Flush with water for 15 minutes. Call a physician .
Skin contact: Flush with water 15 minutes.
Ingestion: Drink large quantity of water, induce vomiting. Call a physician.
Inhalation: None. Move person to fresh air. Get medical attention.

=====

5. FIRE-FLIGHTING MEASURE

=====

- Flash point: None to boiling (TCC)
Flammable Limits: LEL: N/A UEL: N/A
Extinguishing Media: None needed.
Special Fire Fighting Procedure: None
Unusual Fire and Explosion hazards: none

=====

6. ACCIDENTAL RELEASE MEASURES

=====

Pick up excess with absorbent (saw dust). Flush balance with water. Do not allow run off to get into lakes, stream and sewage line.

=====

7. HANDLING AND STORAGE

=====

Precaution to be taken in handling and storage: Store away from flame, heat, Sparks, Open flame, food, drink and smoking material.

=====

8. EXPOSURE CONTROL / PERSONAL PROTECTION

Respiratory protection: Not needed

Ventilation: Local exhaust.

Protective Gloves: Latex or nitrile rubber glove should be worn.

Eye Protection: Should be worn

Other Protective Equipment: Rubber apron should be worn.



9. PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point :	180°F
Specific Gravity (H ₂ O) :	1.10
Vapor Pressure (mmHg):	<90mm@100°
Vapor Density (Air=1):	N/A
Evaporation Rate (H ₂ O) :	<1
Solubility in Water:	Complete
pH:	5
Appearance and Odor	Light blue gel

10. STABILITY AND REACTIVITY

Stability: Stable

Incompatibility: Oxidizing agents

Hazardous Decomposition Products: Intense heat may product acidic fumes. Carbon monoxide & unidentified organic compounds may be formed during combustion.

Hazardous Polymerization: None

11. TOXICOLOGICAL INFORMATION

Inhalation: Vapors irritate the respiratory system, and may cause coughing and difficulties in breathing.

Ingestion: Harmful if swallowed

Skin contact: Harmful in contact with skin.

Eye contact: Irritating to eyes.

=====
12. ECOLOGICAL INFORMATION
=====

Ecological information: Not known

=====
13. DISPOSAL CONSIDERATIONS
=====

Recommended method of disposal: Dispose according to current local, State and Federal regulations.
Hazardous waste number: Not a RCRA hazardous waste.

=====
14. TRANSPORT INFORMATION
=====

General: Not regulated.

=====
15. REGULATORY INFORMATION
=====

OSHA :hazardous by definition of Hazard Communication standard (29 CFR 1910.1200)

=====
16. OTHER INFORMATION
=====

Not Available

- End-